Planning for DNSSEC

Sam Weiler
SPARTA
weiler@tislabs.com

wwTLD Community Meeting
Cape Town
30 November 2004

DNSSEC

- Allows spoofing/hijacking to be detected
  - "Did this answer really come from the zone owner?"
  - Zones are signed with public key signatures
  - Resolvers decide if they want to do validation
- Does not provide
  - Confidentiality protection (the DNS contains public data)
  - DoS protection

Why now?

- Customer/competitive pressure
  - With publication of DNSSECbis specifications and new software, your registrants will start signing their zones
- DNS's visibility as a target is increasing
  - Anti-spam records in the DNS
    - Spammers have a financial incentive to change this data
  - Growing desire to store application keys in the DNS
    - SSH keys (SSHFP)
    - IPSEC keys (opportunistic encryption)
    - Anything else where the trust model naturally aligns with the DNS heirarchy
- Better to start now, before many resolvers are doing validation
  - More time to correct mistakes

Operational Impact

- Key generation, storage
- Zone signing
  - One public-key signature per delegation
  - Repeated at a regular interval
    - Shorter interval offers children better protection
  - Can (and should) be done off-line, to protect keys
- Some zone and response size growth (~5-10x), dependent on key length

Secured Delegations: Dealing With Your Children

- Your registrants will want you to publish DS records (secure delegations) for their zones
- How to get their keys?
  - It's just another piece of data!
  - Through existing systems
  - EPP draft from Scott Hollenbeck, implemented by NeuStar
  - Direct contact registry-registrant?

Dealing With Your Parent

- If the root is signed, you will (probably) want to have a secured delegation (a DS record) in the root
  - Makes changing keys easier for you
    - You may want to encourage the signing of the root
- How do you want to send your keys to IANA?
  - Tell them!

Zone Walking

- Effectively allows zone transfers of signed zones
  - Not a (perceived) problem for many (large) registries
  - Mitigate with new WHOIS policy?
  - Do on-line signing (available now)?
  - Protocol-level solution in development, led by Nominet, ~2 years away.
    - If you need this, send requirements to namedroppers@ops.ietf.org !

Example

- VeriSign's ToDo list from KL
  - Extensions to EPP supporting DNSSEC provisioning
  - Update registry database to include DNSSEC-related information
  - Acquire cryptographic hardware
  - Define process to generate and maintain keys
  - Implement incremental signing process
  - Update zone file generation process
  - Update ATLAS (authoritative name server platform)

Resources

- Software
  - BIND 9.3.0
  - NSD 2.1.5
  - Net::DNS perl module
- Help
  - dnssec-deployment@shinkuro.com
    - Tell us what you need. Tools? Guidance?
  - www.dnssec.net

Todo

- Key generation & management
- Provisioning for signing
- DNSSEC-capable software
- How to get keys from children?
- How to send your keys to IANA?
- Send any anti-enumeration (zone-walking) requirements